QUICK REFERENCE GUIDE > RS7621WRUK1

Integrated Refrigerator Freezer, 76.2cm, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart[™] technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

DIMENSIONS

Height 2134mm
Width 760mm

Depth 610mm

FEATURES & BENEFITS

Variable Temperature Zone

<>

ActiveSmart™ Foodcare

ActiveSmart™ Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Internal water dispenser and ice maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to capture any drips and spills.

Flexible storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer. The door and veggie bins are family safe, allowing for hands-free operation thanks to its soft close mechanism.

Complementary design

Both the 61cm and 76.2cm Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Perfect fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Design quality

<>

Clever energy

With a 3.5 star rating, your refrigerator adapts to daily use by cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

SPECIFICATIONS

Accessories	
1067mm Stainless steel toe	25393
1220mm Stainless steel toe	25395
1372mm Stainless steel toe kick	25397
1524mm Stainless steel toe	25399
18" Stainless steel toe kick	25388
24" Stainless steel toe kick	25390
30" Stainless steel toe kick	25392
42" Stainless steel toe kick	25394
48" Stainless steel toe kick	25396
54" Stainless steel toe kick	25398
60" Stainless steel toe kick	25400
762mm Stainless steel toe kick	25391
Contemporary square handle	AHD3RD7621W
Hinge change (from left hinge	848184P
Hinge change (from right hinge	848183P
Joiner kit	25328

QUICK REFERENCE GUIDE > RS7621WRUK1 Date: 02.12.2021 > 2

Matching Replacement Water	847200	Door alarm	•
Stainless steel door panel	25710	Freezer bins 2	
Stainless steel door panel	25709	Freezer trays	1
Stainless steel door panel 84",	25714	Ice Boost	•
Stainless steel door panel 84",	25713	LED bin lighting •	
		LED ceiling lighting	•
Capacity		LED side lighting	•
Total gross capacity	482L	Max Cold	•
Volume	449L	SmartTouch interface at •	
Volume refrigerator	298L		
		Performance	
Consumption		ActiveSmart™ Foodcare	•
Energy consumption	285kWh/year	Adaptive defrost	•
Energy rating	D	Dual evaporator •	
Energy usage	390kWh/year	Frost free freezer	•
		Humidity control system	•
Features		Inverter controlled compressor	•
Adjustable door shelves	4	Sabbath mode	
Covered door shelves	1	Variable food modes	Pantry; Fridge; Soft freeze;
Door alarm	•	Variable temperature zones	2
Gallon door shelves	1		
LED bin lighting	•	Power requirements	
LED ceiling lighting	•	Rated current	10A
LED side lighting	•	Supply frequency	50Hz
SmartTouch interface at	•	Supply voltage	230V
Stackable bottle holders	4		
Ultra slim water dispenser	•	Product dimensions	
		Depth	610mm
Freezer Features		Height	2134mm
Automatic ice maker	•	Width	760mm

Warranty	
Parts and labour	5 years
sku	26057

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS7621WRUK1 Date: 02.12.2021 > 3

Other product downloads available at fisherpaykel.com



User Guide



Installation Guide



Installation Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 08000886605 Wwww.fisherpaykel.com